

Presale: 21/01/2023

Issue: 23/01/2023

— Philanews N°. 1 / 2023 (pg. 4 - 5) —

Print procedure: offset with gold impression

Perforation: 11½

© bpost

Format: — stamp: 27,66 x 40,22mm;

Paper: gummed white FSC

— V10-5135: 148 x 222mm

V10-5135

①



5146 - Anne-Mie van Kerckhoven: work of art AMVK - V10-5146:

(①): v=€1,36)

© bpost

2023

Presale: 21/01/2023

Issue: 23/01/2023

— Philanews N°. 1 / 2023 (pg. 12 - 13) —

Print procedure: offset

Format: — stamp: 38,15 x 48,75mm;
— V10-5146: 108 x 280mm

Perforation: 11½

Paper: gummed white FSC

V10-5146 ①



Presale: 18/03/2023

Issue: 20/03/2023

— Philanews N°. 1 / 2023 (pg. 21) —

Print procedure: offset

Perforation: 11½

© bpost


Format: — stamp: 30 x 40mm;

Paper: gegomd wit FSC

— V10-5153: 164 x225mm

V10-5135

(1)



Presale: 10/06/2023

Issue: 12/06/2023

Print procedure: offset with gold impression

— Philanews N°. 2 / 2023 (pg. 4-5) —

© bpost

Format: — stamp: 30 x 40mm;


— V10-5164: 178 x 210mm

Perforation: 11½

Paper: gummed white FSC

V10-5164

①



Presale: 10/06/2023

Issue: 12/06/2023

Print procedure: offset

— Philanews N°. 2 / 2023 (pg. 6-7) —

© bpost

Format: — stamp: 60 x 30mm;

— V5-5165: 225 x 165mm

Perforation: 11½

V5-5165

① W



Paper: gummed white FSC



Presale: 10/06/2023

Issue: 12/06/2023

Print procedure: offset

— Philanews N°. 2 / 2019 (pg. 18 - 19) —

© bpost


Format: — stamp: 40,20 x 27,66mm;
 — V5-5166: 148 x 222mm

Perforation: 11½

V5-5166

① E

Paper: gummed white FSC



5178 - World "breaking" championships in Leuven - V5-5178: (①World: v=€2,75)

2023

Presale: 26/08/2023

Issue: 28/08/2023

Print procedure: offset

— Philanews N°. 3 / 2023 (pg. 6 - 7) —


© bpost

Format: — stamps: 40 x 50mm;

— V5-5178: 210 x 263mm

Perforation: 11½

Paper: gummed white FSC



Presale: 21/10/2023

Issue: 23/10/2023

— Philanews N°. 4 /2023 (pg. 4 - 5) —

Print procedure: offset

© bpost

Format: — stamp: 40 x 30mm; — V10-5189: 134 x 233mm

Perforation: 11½

Paper: gummed white FSC

V10-5189

